

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	("6463462").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 15:42
L4	18	determin\$3 near10 (message or notification) near5 method with (based or accord\$4 or correspond\$3 or depend\$4) adj10 (context or status or profile or preference) near5 (client or receiver or recipient or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:45
L5	14	4 and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:46
L6	0	5 and convert\$3 near10 voice adj mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:46
L7	6	4 and (unavailable or "not" adj available or busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:01
L8	5	5 and (unavailable or "not" adj available or busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:47
L9	2	("20030018692").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:34
L10	6	((("20030018692") or ("6,393,495") or ("20030046401"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 16:37
L11	2	(9 or 10) and notification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:37

L12	38	determin\$3 near10 (message or notification) near5 method with (based or accord\$4 or correspond\$3 or depend\$4) adj10 (context or status or profile or preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:59
L13	29	12 and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:46
L14	0	13 and convert\$3 near10 (voicemail or voice adj mail or stor\$3 or record\$3) with (unavailable or "not" adj available or busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 16:47
L15	2	13 and (voicemail or voice adj mail or stor\$3 or record\$3) with (unavailable or "not" adj available or busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:02
L16	212	notification with (based or accord\$4 or correspond\$3 or depend\$4) adj10 (context or status or profile or preference) near10 (rece\$5 or client or user or device or phone or telephone) and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:01
L17	12	16 and (voicemail or voice adj mail or stor\$3 or record\$3) with (unavailable or "not" adj available or busy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 17:02
S5	14	S4 and (@AD <"20010928" or @RLAD <"20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:43
S9	18	determin\$3 near10 (message or notification) near5 method with (based or accord\$4 or correspond\$3 or depend\$4) adj10 (context or status or profile or preference) near5 (client or receiver or recipient or user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:42
S11	6	S10 and (based or accord\$4 or correspond\$3 or depend\$3) near10 (criteri\$2 or rule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:20

S12	13	WO-2071754\$.did. "20020002678" "20030023690" "20030058096" "20030097485" "20030130020" WO-9966685\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:11
S13	1	S12 and busy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:44
S14	0	S12 and convert\$3 near10 voice adj mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/17 15:43